

# Quiz\_1 #23\_07\_2020

Preview

Assign

... Close

Last Saved: Today at 3:31 PM

- 1 Quiz Details
- 2 Quiz Questions

## Questions

Total Questions: 15 | Total

1. Two measures for efficiency of algorithm are: ▼  
Multiple Choice (1 point)

2. ^

Multiple Choice ▼

Array is an example of \_\_\_\_\_

36/4,096

 Attach Files  Add Link  Add from Library 

## Responses

Static Data Structure

Linear Data Structure

Dynamic Data Structure

Both A & B

+ Add Response

## Quiz\_1 #23\_07\_2020

Preview

Assign

...

Close

Jel



3. A ---- is graphic representation of how a process works showing the sequence of steps. ▾

Multiple Choice (1 point)



4. Abstract data type means ---- ▾

Multiple Choice (1 point)



5. When determining the efficiency of algorithm, the space factor is measured by \_\_\_\_\_. ▾

Multiple Choice (1 point)



6. Which one of the following algorithmic approach tries to achieve localized optimum solution? ▾

Multiple Choice (1 point)



7. The time factor when determining the efficiency of algorithm is measured by \_\_\_\_\_. ▾

Multiple Choice (1 point)



8. Which of the following case does not exist in complexity theory? ▾

Multiple Choice (1 point)



9. Big-Oh is \_\_\_\_\_. ▾

Multiple Choice (1 point)



10. Which of the following is not characteristic of algorithm? ▾

Multiple Choice (1 point)

## Quiz\_1 #23\_07\_2020

[Preview](#)[Assign](#)[Close](#)

12. In flowchart rectangle is used to represent: ▾

Multiple Choice (1 point)



13. In worst case analysis of an algorithm, \_\_\_\_\_ of an algorithm is calculated. ▾

Multiple Choice (1 point)



14. \_\_\_\_\_ is a way to organized data in such a way that it can be used efficiently. ▾

Multiple Choice (1 point)



15. Which one of the following is not the Linear Data Structure? ▾

Multiple Choice (1 point)

[Add New Question](#)[Add from question bank](#)