

Summary of Criteria's

Criteria 4:

File No	Wall	File Name	Equivalent ISO File	Responsibility	Source File
4.1	4.1.1	Classrooms & Seminar Halls	--	Dept.	NAAC MBA File Criteria No.4
	4.1.2	Cultural & Sports	--	Civil	
	4.1.3	ICT Classroom	--	Dept.	NAAC MBA File Criteria No.4
	4.1.4	Infrastructure augmentation	--	Registrar/AC Section	--
4.2	4.2.1	Library Using	--	Librarian	--
	4.2.2	Library e-subscription	--	Librarian	--
	4.2.3	Library Expenditure	--	Librarian	--
	4.2.4	Library Usage	--	Librarian	--
4.3	4.3.1	IT Facilities	--	Department	NAAC MBA File Criteria No.4
	4.3.2	Student Computer Ratio	--	Department	NAAC MBA File Criteria No.4
	4.3.3	Internet Connection	--	Computer Dept	--
4.4	4.4.1	Maintenance of Infrastructure	--	Registrar/ A/C section	--
	4.4.2	Maintenance Procedure	--	Dept.	NAAC MBA File Criteria No.4


Amrutvahini College of Engineering, Sangamner

MBA Department

Building: Dronagiri

Floor: Second

Sr. No	Name of Class	Room No.	Area in Sq. Mt
1	MBA Class Room 1	201	81.31
2	Tutorial Room 1	202	34.00
3	MBA Seminar Room 2	203	33.75
4	Computer Center	204	159.50
5	MBA Class Room 2	205	67.41
6	MBA Meeting Room	223	29.47
7	HOD Cabin	224	14.00
8	Staff Room 1	225	23.00
9	Staff Room 2	226	29.50
10	Ladies Common Room	207	33.75





Latitude: 19.613022
Longitude: 74.186198
Accuracy: 14.5m
Time: 09-07-2020 15:41
Note: MBA_TR_202



Latitude: 19.613021
Longitude: 74.186199
Accuracy: 14.0m
Time: 09-07-2020 15:41
Note: MBA_SH_203



Latitude: 19.613022
Longitude: 74.186198
Accuracy: 17.5m
Time: 09-07-2020 15:40
Note: MBA_CC_204



Latitude: 19.613018
Longitude: 74.186196
Accuracy: 21.5m
Time: 09-07-2020 15:37
Note: MBA_CR_205